



Cover image: Zero-Gravity radiation protection.

Editor

Robert W Tarr

Associate Editors

Felipe Albuquerque

Michael Chen

Dave Fiorella

Rishi Gupta

Joshua Hirsch

Italo Linfante

William Mack

J Mocco

Ansaar Rai

Associate Editor, Basic Science

Matthew Gounis

Assistant Editors, Social Media

Andrew Ducruet

Kyle Fargen

SNIS Executive Director

Marie Williams

Editorial Office

Journal of NeuroInterventional Surgery BMJ

Publishing Group Ltd

BMA House

Tavistock Square

London, WC1H 9JR, UK

T: +44 (0)20 7383 6170

E: info.jnis@bmjgroup.com

Guidelines for authors and reviewers

Full instructions are available online at <http://jnis.bmj.com/fora>. Articles must be submitted electronically <http://mc.manuscriptcentral.com/jnis>. Authors retain copyright but are required to grant JNIS an exclusive licence to publish <http://jnis.bmj.com/fora/licence.dtl>

ISSN: 1759-8478 (print)

ISSN: 1759-8486 (online)

Twitter: @JNIS_BMJ

Disclaimer: While every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinions, or statements appear in this Journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the responsibility of the contributor or advertiser concerned.

Accordingly, the publishers and the Society of NeuroInterventional Surgery, the editorial committee and their respective employees, officers and agents, accept no liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement. While every effort is made to ensure that drug doses and other quantities are presented accurately, readers are advised that new methods and techniques involving drug usage, described within this Journal, should only be followed in conjunction with the drug manufacturer's own published literature.

Copyright: © 2016 Society of NeuroInterventional Surgery. All rights reserved; no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without prior permission.

Journal of NeuroInterventional Surgery is published by BMJ Publishing Group Ltd, typeset by Nova Techset Private Limited, Bengaluru & Chennai, India and printed in the UK on acid free paper. Journal of NeuroInterventional Surgery (ISSN 1759-8478) is published monthly by BMJ Publishing Group and is distributed in the USA by Air Business Ltd. Periodicals postage paid at Jamaica NY 11431. POSTMASTER: send address changes to Journal of NeuroInterventional Surgery, Air Business Ltd, c/o Worldnet Shipping Inc., 156-15, 146th Avenue, 2nd Floor, Jamaica, NY 11434, USA.

Contents

Volume 8 Issue 10 | JNIS October 2016

Editor's column

- 987** Intracerebral hemorrhage: the next frontier for minimally invasive stroke treatment

D Fiorella, J Mocco, A Arthur

Standards

- 989** Training Guidelines for Endovascular Ischemic Stroke Intervention: An International multi-society consensus document



OPEN ACCESS

Ischemic stroke

- 992** Histological examination of vascular damage caused by stent retriever thrombectomy devices

D Arai, A Ishii, H Chihara, H Ikeda, S Miyamoto

- 996** Diagnosis of acute ischemia using dual energy CT after mechanical thrombectomy

J Gariani, V Cuvinciuc, D Courvoisier, B Krauss, V M Pereira, R Sztajzel, K-O Lovblad, M I Vargas

- 1001** Different risk factors for poor outcome between patients with positive and negative susceptibility vessel sign

S Yan, K Liu, L Tong, Y Yu, S Zhang, M Lou

- 1006** The myth of restenosis after carotid angioplasty and stenting

K Moon, F C Albuquerque, M R Levitt, A S Ahmed, M Y S Kalani, C G McDougall

- 1011** Carotid artery stenting for vulnerable plaques on MR angiography and ultrasonography: utility of dual protection and blood aspiration method

S Sakamoto, Y Kiura, T Okazaki, K Shinagawa, D Ishii, N Ichinose, K Kurisu

- 1016** Aneurysms in the target vessels of stroke patients subjected to mechanical thrombectomy: prevalence and impact on treatment

F Zibold, J F Kleine, C Zimmer, H Poppert, T Boeckh-Behrens

Hemorrhagic stroke

- 1021** Increased prevalence and rupture status of feeder vessel aneurysms in posterior fossa arteriovenous malformations

J Orning, S Amin-Hanjani, Y Hamade, X Du, Z A Hage, V Aletich, F Charbel, A Alaraj



EDITOR'S CHOICE

- 1025** Effect of stenting on progressive occlusion of small unruptured saccular intracranial aneurysms with residual sac immediately after coil embolization: a propensity score analysis

J P Jeon, Y D Cho, J K Rhim, J J Park, W-S Cho, H-S Kang, J E Kim, M H Han

New devices

- 1030** Endovascular treatment of PICA aneurysms with a Low-profile Visualized Intraluminal Support (LVIS Jr) device

E A Samaniego, G Abdo, R A Hanel, A Lima, S Ortega-Gutierrez, G Dabus

- 1034** Volume versus standard coils in the treatment of intracranial aneurysms

J Kaesmacher, C Müller-Leisse, T Huber, T Boeckh-Behrens, B Haller, E Shibani, B Friedrich, C Zimmer, F Dorn, S Prothmann

- 1041** Pipeline embolization device for the treatment of vertebral artery aneurysms: the fate of covered branch vessels

M D Mazur, C Kilburg, V Wang, P Taussky

- 1048** Endovascular reconstruction of unruptured intradural vertebral artery dissecting aneurysms with the Pipeline embolization device

A L Kühn, P Kan, F Massari, J D Lozano, S Y Hou, M Howk, M J Gounis, A K Wakhloo, A S Puri

Neuroimaging

- 1052** A prospective case control comparison of the ZeroGravity system versus a standard lead apron as radiation protection strategy in neuroendovascular procedures

D C Haussen, I M J Van Der Bom, R G Nogueira

MORE CONTENTS ►



EDITOR'S CHOICE

This article has been chosen by the Editor to be of special interest or importance and is freely available online.



This article has been made freely available online under the BMJ Journals Open Access scheme.

See <http://jnis.bmj.com/site/about/guidelines.xhtml#open>

C O P E

Member since 2009

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

<http://publicationethics.org/>

equator
network



When you have finished with this please recycle it

- 1056** Two-color 3D–3D fusion of selective rotational cerebral angiograms: a novel approach to imaging in cerebrovascular neurosurgery
A Jalali, V M Srinivasan, P Chinnadurai, P Kan, A Arthur, E A M Duckworth

- 1061** Evaluation of the perforators of the anterior communicating artery (ACoM) using routine cerebral 3D rotational angiography
S Lescher, M Zimmermann, J Konczalla, T Deller, L Porto, V Seifert, J Berkefeld

- 1067** Rule of 5: angiographic diameters of cervicocerebral arteries in children and compatibility with adult neurointerventional devices
L He, T R Ladner, S Pruthi, M A Day, A A Desai, L C Jordan, M T Froehler

Basic science

- 1072** Compaction of flow diverters improves occlusion of experimental wide-necked aneurysms
J-C Gentric, I Salazkin, G Gevry, J Raymond, T Darsaut

Tumor embolization

- 1078** New therapeutic strategies regarding endovascular treatment of glioblastoma, the role of the blood–brain barrier and new ways to bypass it
S Peschillo, A Caporlingua, F Diana, F Caporlingua, R Delfini

- 1084** Preoperative embolization of intracranial hemangiopericytomas: case series and introduction of the transtumoral embolization technique
B W Hanak, D C Haussen, S Ambekar, M Ferreira Jr, B V Ghodke, E C Peterson

Electronic pages

- e39** Spontaneous regression of intracranial aneurysm following remote ruptured aneurysm treatment with pipeline stent assisted coiling
A Tsimpas, W W Ashley, A V Germanwala
- e40** Treatment of post-traumatic carotid–cavernous fistulas using pipeline embolization device assistance
N Pradeep, R Nottingham, A Kam, D Gandhi, N Razack
- e41** Delayed relapse in pseudotumor cerebri due to new stenosis after transverse sinus stenting
H S Winters, G Parker, G M Halmagyi, A Mehta, T Atkins
- e42** Dermatitis caused by metal allergy after coil embolization for unruptured cerebral aneurysm
T Uwatoko, T Tsumoto, N Wada, K Urabe, Y Sanbongi, S Tokunaga, Y Tsurusaki, Y Okada