



Cover image: Depiction of the Relay-Balloon Technique from the article by Lee SH *et al.*

Editor

Felipe C. Albuquerque

Associate Editors

- Michael Chen
- Christophe Cognard
- Lucas Eljovich
- David Fiorella
- Joshua Hirsch
- William Mack
- J Mocco

Associate Editor, Basic Science

Matthew Gounis

Assistant Editors, Social Media

- Reade DeLeacy
- Andrew Ducruet
- Kyle Fargen
- Ashutosh Jadhav

Editor Emeritus

Robert W. Tarr

SNIS Executive Director

Marie Williams

Editorial Office

Journal of NeuroInterventional Surgery BMJ
 Publishing Group Ltd
 BMA House
 Tavistock Square
 London, WC1H 9JR, UK
 T: +44 (0)20 7383 6170
 E: info.jnis@bmjgroup.com

Guidelines for authors and reviewers

Full instructions are available online at <http://JNIS.bmj.com/fora>. Articles must be submitted electronically <http://mc.manuscriptcentral.com/jnis>. Authors retain copyright but are required to grant JNIS an exclusive licence to publish <http://JNIS.bmj.com/fora/licence.dtl>

ISSN: 1759-8478 (print)

ISSN: 1759-8486 (online)

Twitter: @JNIS_BMJ

Disclaimer: While every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinions, or statements appear in this Journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the responsibility of the contributor or advertiser concerned.

Accordingly, the publishers and the Society of NeuroInterventional Surgery, the editorial committee and their respective employees, officers and agents, accept no liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement. While every effort is made to ensure that drug doses and other quantities are presented accurately, readers are advised that new methods and techniques involving drug usage, described within this Journal, should only be followed in conjunction with the drug manufacturer's own published literature.

Copyright: © 2018 Society of NeuroInterventional Surgery. All rights reserved; no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without prior permission.

Journal of NeuroInterventional Surgery is published by BMJ Publishing Group Ltd, typeset by Exeter Premedia Services Private Ltd, Chennai, India and printed in the UK on acid free paper

Journal of NeuroInterventional Surgery (ISSN 1759-8478) is published monthly by BMJ Publishing Group and is distributed in the USA by Air Business Ltd. Periodicals postage paid at Jamaica NY 11431. POSTMASTER: send address changes to Journal of NeuroInterventional Surgery, Air Business Ltd, c/o Worldnet Shipping Inc., 156-15, 146th Avenue, 2nd Floor, Jamaica, NY 11434, USA.

Contents

Editor's column

- 1 DAWN: another brand new day
F C Albuquerque, J A Hirsch, D Fiorella

Editorial

- 3 Iterating the ASPECTS <6 threshold
J Mocco, M Chen

Ischemic stroke

- 5 Favorable revascularization therapy in patients with ASPECTS ≤ 5 on DWI in anterior circulation stroke

I Mourand, E Abergel, D Mantilla, X Aygnac, T Sacaggi, O F Eker, G Gasco, C Dargazanli, C Riquelme, M Moynier, A Bonafé, C Arquizan, V Costalat

- 10 A multicenter study of the safety and effectiveness of mechanical thrombectomy for patients with acute ischemic stroke not meeting top-tier evidence criteria

N Goyal, G Tsvigoulis, D Frei, A Turk, B Baxter, M T Froehler, J Mocco, J Vachhani, D Hoyt, L Eljovich, D Loy, R D Turner, J Mascitelli, K Espaillat, A V Alexandrov, A W Alexandrov, A S Arthur

- 17 Intravenous thrombolysis before endovascular therapy for large vessel strokes can lead to significantly higher hospital costs without improving outcomes

A T Rai, SH Boo, C Buseman, A K Adcock, A R Tarabishy, M M Miller, T D Roberts, J R Domico, J S Carpenter

- 22 Timing of vessel imaging for suspected large vessel occlusions does not affect groin puncture time in transfer patients with stroke

J W Liang, L Stein, N Wilson, J T Fifi, S Tuhrim, M S Dhamoon

- 25 Elevated mean platelet volume is associated with poor outcome after mechanical thrombectomy

F Peng, W Zheng, F Li, J Wang, Z Liu, X Chen, L Xiao, W Sun, X Liu

- 29 Intra-arterial nitroglycerin as directed acute treatment in experimental ischemic stroke

M E Maniskas, J M Roberts, R Trueman, A E Learoyd, A Gorman, J F Fraser, G J Bix

- 34 Clot friction variation with fibrin content; implications for resistance to thrombectomy
G M Gunning, K McArdle, M Mirza, S Duffy, M Gilvarry, P A Brouwer

- 39 Relay-balloon technique for recanalization of acute symptomatic proximal internal carotid artery occlusion with short balloon-tipped guiding catheter landing zone
S H Lee, D G Lee, S U Kwon, D H Lee

Hemorrhagic stroke

- 44 A survey of intracranial aneurysm treatment practices among United States physicians
K M Fargen, H E Soriano-Baron, J T Rushing, W Mack, J Mocco, F Albuquerque, A F Ducruet, M Mokin, I Linfante, S Q Wolfe, J A Wilson, J A Hirsch

- 50 Optimal first coil selection to avoid aneurysmal recanalization in endovascular intracranial aneurysmal coiling
H Neki, S Kohyama, T Otsuka, A Yonezawa, S Ishihara, F Yamane

- 55 Posterior circulation perforator aneurysms: a proposed management algorithm
T J Buell, D Ding, D M S Raper, C-J Chen, H R Hixson, R W Crowley, A J Evans, M E Jensen, K C Liu

- 60 Autologous adipose-derived mesenchymal stem cells improve healing of coiled experimental saccular aneurysms: an angiographic and histopathological study

A Rouchaud, W Brinjileji, D Dai, Y-H Ding, T Gunderson, D Schroeder, L Spelle, D F Kallmes, R Kadirvel

MORE CONTENTS ►



This article has been chosen by the Editor to be of special interest or importance and is freely available online.



This article has been made freely available online under the BMJ Journals Open Access scheme.
See <http://authors.bmj.com/open-access/>

C O P E

Member since 2009

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

<http://publicationethics.org/>



- 66** A review and comparison of three neuronavigation systems for minimally invasive intracerebral hemorrhage evacuation
A G Chartrain, C P Kellner, K M Fargen, A M Spiotta, D A Chesler, D Fiorella, J Mocco

Clinical neurology

- 74** A pilot study and novel angiographic classification for superior sagittal sinus stenting in patients with non-thrombotic intracranial venous occlusive disease
D M S Raper, T J Buell, D Ding, I J Pomeranic, R W Crowley, K C Liu

New devices

- 78** Current applications and future perspectives of robotics in cerebrovascular and endovascular neurosurgery
S A Menaker, S S Shah, B M Snelling, S Sur, R M Starke, E C Peterson
- 83** GEL THE NEC: a prospective registry evaluating the safety, ease of use, and efficacy of the HydroSoft coil as a finishing device
W Brinjikji, A P Amar, J E Delgado Almandoz, O Diaz, P Jabbour, R Hanel, F Hui, M Kelly, K D Layton, J W Miller, E Levy, C Moran, D C Suh, H Woo, R Sellar, B Ho, A Evans, D F Kallmes

Basic science

- 88** Flow diverter implantation in a rat model of sidewall aneurysm: a feasibility study
R Aquarius, D Smits, M J Gounis, W P J Leenders, J de Vries
- 93** M1 macrophages are required for murine cerebral aneurysm formation
K W Nowicki, K Hosaka, F J Walch, E W Scott, B L Hoh

Correspondence

- 98** John Allcock and a brief history of Allcock's test
V M Srinivasan, M G Z Ghali, P Kan

Electronic pages

- e1** Nickel-associated delayed multiple white matter lesions after stent-assisted coil embolization of intracranial unruptured aneurysm
H S Park, I Nakagawa, S Yokoyama, D Wajima, T Wada, Y Motoyama, K Kichikawa, H Nakase