



Cover image: The impact of coil design on the distribution of coil mass in a controlled in vitro experiment. Epoxy embedded silicone sidewall aneurysm sectioning method.

Editor

Robert W Tarr (USA)

Associate Editors

Felipe Albuquerque (USA)

David Fiorella (USA)

Joshua Hirsch (USA)

Charles Prestigiacomo (USA)

Osama Zaidat (USA)

SNIS Executive Director

Marie Williams, CAE

Editorial Office

Journal of NeuroInterventional Surgery

BMJ Publishing Group Ltd

BMA House

Tavistock Square

London, WC1H 9JR, UK

T: +44 (0)20 7383 6170

F: +44 (0)20 7383 6668

E: info.jnis@bmjgroup.com

Guidelines for authors and reviewers

Full instructions are available online at <http://JNIS.bmj.com/fora>. Articles must be submitted electronically <http://submit-JNIS.bmj.com>. Authors retain copyright but are required to grant JNIS an exclusive licence to publish <http://JNIS.bmj.com/fora/licence.dtl>

ISSN: 1759-8478 (print)

ISSN: 1759-8486 (online)

Disclaimer: While every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinions, or statements appear in this Journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the responsibility of the contributor or advertiser concerned.

Accordingly, the publishers and the Society of NeuroInterventional Surgery, the editorial committee and their respective employees, officers and agents, accept no liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement. While every effort is made to ensure that drug doses and other quantities are presented accurately, readers are advised that new methods and techniques involving drug usage, described within this Journal, should only be followed in conjunction with the drug manufacturer's own published literature.

Copyright: © 2011 Society of NeuroInterventional Surgery. All rights reserved; no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without prior permission.

Journal of NeuroInterventional Surgery is published by BMJ Publishing Group Ltd, typeset by TNQ Books & Journals, Chennai, India and printed in the UK on acid-free paper by Latimer Trend & Co Ltd, Plymouth.

Journal of NeuroInterventional Surgery (ISSN 1759-8478) is published quarterly by BMJ Publishing Group and is distributed in the USA by POSTMASTER: Send address changes to Journal of NeuroInterventional Surgery, Mercury International Ltd, 365 Blair Road, Avenel, NJ, 07001, USA.

Editor's column

99 These are a few of my favorite things
R W Tarr

Standards

100 2011 ASA/ACCF/AHA/AANN/AANS/ACR/ASNR/CNS/SAIP/SCAI/SIR/SNIS/SVM/SVS guideline on the management of patients with extracranial carotid and vertebral artery disease: executive summary
Writing Committee Members: T G Brott, J L Halperin, S Abbara, J M Bacharach, J D Barr, R L Bush, C U Cates, M A Creager, S B Fowler, G Friday, V S Hertzberg, E B McCliff, W S Moore, P D Panagos, T S Riles, R H Rosenwasser, A J Taylor

Basic science

131 The impact of coil shape design on angiographic occlusion, packing density and coil mass uniformity in aneurysm embolization: an in vitro study
M Mehra, M C Hurley, M J Gounis, R M King, A Shaibani, G Dabus, F E Labdag, E I Levy, B R Bendok

Ischemic stroke

137 Inferior vena cava filters for the cerebrovascular patient
S P Kalva, B Somarouthu, J Hirsch

141 Long-term safety and effectiveness of inferior vena cava filters in patients with stroke
B Somarouthu, K Yeddu, S Wicky, J A Hirsch, S P Kalva

147 Thromboembolic events associated with endovascular treatment of cerebral aneurysms
T Altay, H I Kang, H H Woo, T J Masaryk, P A Rasmussen, D J Fiorella, S I Moskowitz

151 Meta-analysis of randomized intra-arterial thrombolytic trials for the treatment of acute stroke due to middle cerebral artery occlusion
J D Fields, P Khatri, G M Nesbit, K C Liu, S L Barnwell, H L Lutsep, W M Clark, M G Lansberg

156 Patent foramen ovale associated with the unusual presentation of unilateral paramedian thalamic perforating artery infarction after embolic occlusion of 'artery of Percheron': case report and review of the literature
H Yarmohammadi, A Carasca, H Yarmohammadi, D P Hsu

160 Intracranial carotid artery stent placement causes delayed severe intracranial hemorrhage in a patient with moyamoya disease
S Eicker, N Etminkan, B Turowski, H-J Steiger, D Hänggi

Hemorrhagic stroke

163 Oral contraceptive and hormone replacement therapy in women with cerebral aneurysms
M Chen, B Ouyang, L Goldstein-Smith, L Feldman



New devices

167 Mural destabilization after aneurysm treatment with a flow-diverting device: a report of two cases
T Hampton, D Walsh, C Tolia, D Fiorella

172 Use of the Outreach distal access catheter as an intracranial platform facilitates coil embolization of select intracranial aneurysms: technical note
E F Hauck, R G Tawke, N S Karter, M J Binning, A A Khalessi, S K Natarajan, L N Hopkins, E I Levy, A H Siddiqui

Clinical neurology

177 Body weight: a risk factor for subtherapeutic antithrombotic therapy in neurovascular stenting
D Drazin, A Choulakian, M Nuño, P Kornbluth, M J Alexander

Neuroimaging

182 Intraoperative indocyanine green angiography as a substitute for conventional angiography in the surgical management of spinal dural arteriovenous fistulae
A M Spiotta, M Bain, S Moskowitz

Head and neck

186 Integrated cone-beam CT and fluoroscopic navigation in treatment of head and neck vascular malformations and tumors
G M Nesbit, E G Nesbit, B E Hamilton

MORE CONTENTS ►



This article has been chosen by the Editor to be of special interest or importance and is freely available online.



Articles carrying the Unlocked Logo are freely available online under the BMJ Journals unlocked scheme. See <http://jnis.bmj.com/info/unlocked.dtl>



This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

www.publicationethics.org.uk



- 191** Complete devascularization of a juvenile angiofibroma by direct percutaneous embolization with only ethylene vinyl alcohol copolymer (Onyx) through a single needle placement

*J J Gemmete, N Chaudhary, A S Pandey,
J B McHugh, L J Marentette*

Socioeconomics

- 194** Development of the Neurological Institute: a strategic, improvement, and systems approach

*N Tinsley, L A McCartney, A Hdeib,
W R Selman*

- 202** The Red Flags Rule: controversy over application to physicians

S A Cason, R M Portman

- 204** The neurointerventionalist and the AdvaMed Code of Ethics: examining the doctor–device industry relationship

C White, C Brugera, J Hirsch

Letters to the Editor

- 207** Response to Endovascular treatment of 113 cavernous carotid aneurysms

(J NeuroIntervent Surg 2010;2:359)

J Hartman

- 207** Author's Response to Letter to the Editor for *J NeuroIntervent Surg* 2010;2:359–62

M J Alexander

Book review

- 209** Neurovascular imaging: MRI & microangiography

R V Chandra, J A Hirsch