

Cover image: Time averaged wall shear stress distributions. From Lauric *et al.*, page 466.

Editor

Robert W Tarr

Associate Editors

Felipe Albuquerque
Michael Chen
Dave Fiorella
Rishi Gupta
Joshua Hirsch
Italo Linfante
William Mack
J Mocco
Ansaar Rai

Assistant Editor, Point-Counterpoint Section

Kristine Blackham

Assistant Editor, Book Review Section

Albert Yoo

Assistant Editor, Basic Science

Matthew Gounis

SNIS Executive Director

Marie Williams

Editorial Office

Journal of NeuroInterventional Surgery BMJ Publishing Group Ltd
BMA House
Tavistock Square
London, WC1H 9JR, UK

T: +44 (0)20 7383 6170

E: info.jnis@bmjgroup.com

Guidelines for authors and reviewers

Full instructions are available online at <http://JNIS.bmj.com/fora>. Articles must be submitted electronically <http://mc.manuscriptcentral.com/jnis>. Authors retain copyright but are required to grant JNIS an exclusive licence to publish <http://JNIS.bmj.com/fora/licence.dtl>

ISSN: 1759-8478 (print)

ISSN: 1759-8486 (online)

Disclaimer: While every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinions, or statements appear in this Journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the responsibility of the contributor or advertiser concerned.

Accordingly, the publishers and the Society of NeuroInterventional Surgery, the editorial committee and their respective employees, officers and agents, accept no liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement. While every effort is made to ensure that drug doses and other quantities are presented accurately, readers are advised that new methods and techniques involving drug usage, described within this Journal, should only be followed in conjunction with the drug manufacturer's own published literature.

Copyright: © 2014 Society of NeuroInterventional Surgery. All rights reserved; no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without prior permission.

Journal of NeuroInterventional Surgery is published by BMJ Publishing Group Ltd, typeset by Techset, India and printed in the US.

Journal of NeuroInterventional Surgery (ISSN 1759-8478) is published ten times a year by BMJ Publishing Group and is distributed in the USA by Air Business Ltd. Periodicals postage paid at Jamaica NY 11431. POSTMASTER: send address changes to Journal of NeuroInterventional Surgery, Air Business Ltd, c/o Worldnet Shipping Inc., 156-15, 146th Avenue, 2nd Floor, Jamaica, NY 11434, USA.

Contents

Volume 6 Issue 6 | JNIS July/August 2014

Editor's column

409 The March
F C Albuquerque

Commentary

411 The sustainable growth rate: a 2014 update
J A Hirsch, L Manchikanti

Ischemic stroke

413 Outcomes in patients with acute ischemic stroke from proximal intracranial vessel occlusion and NIHSS score below 8
M Mokin, M W Masud, T M Dumont, G Ahmad, T Kass-Hout, K V Snyder, L N Hopkins, A H Siddiqui, E I Levy

418 Age-adjusted infarct volume threshold for good outcome after endovascular treatment
M Ribo, A Flores, E Mansilla, M Rubiera, A Tomasello, P Coscojuela, J Pagola, D Rodriguez-Luna, M Muchada, J Alvarez-Sabin, C A Molina

423 Hounsfield unit value and clot length in the acutely occluded vessel and time required to achieve thrombectomy, complications and outcome
A M Spionta, J Vargas, H Hawk, R Turner, M I Chaudry, H Battenhouse, A S Turk

Hemorrhagic stroke

428 Management strategies for intraprocedural coil migration during endovascular treatment of intracranial aneurysms
D Ding, K C Liu

432 Endovascular treatment of pediatric intracranial aneurysms: a retrospective study of 35 aneurysms
K Takemoto, S Tateshima, A Golshan, N Gonzalez, R Jahan, G Duckwiler, F Vinuela

New devices

439 Novel application of a balloon-anchoring technique for the realignment of a prolapsed Pipeline Embolization Device: a technical report
R W Crowley, A A Ablal, A F Ducruet, C G McDougall, F C Albuquerque

445 Safety and efficacy of percutaneous femoral artery access followed by Mynx closure in cerebral neurovascular procedures: a single center analysis
R Grandhi, H Kanaan, A Shah, G Harrison, C Bonfield, T Jovin, B Jankowitz, M Horowitz

Neuroimaging

451 A prospective, multicenter pilot study investigating the utility of flat detector derived parenchymal blood volume maps to estimate cerebral blood volume in stroke patients
D Fiorella, A Turk, I Chaudry, R Turner, J Dunkin, C Roque, M Sarmiento, Y Deuerling-Zheng, C M Denice, M Baumeister, A T Parker, H H Woo

457 Integrated flat detector CT and live fluoroscopic-guided external ventricular drain placement within the neuroangiography suite
D Fiorella, L Peeling, C M Denice, M Sarmiento, H H Woo

461 Silent embolism after stent-assisted coiling of cerebral aneurysms: diffusion-weighted MRI study of 75 cases
M L Hahnemann, A Ringelstein, I E Sandalcioğlu, S Goerliche, C Moenninghoff, I Wanke, M Forsting, U Sure, M Schlamann

Scan here to listen to a podcast with David Fiorella on this issue's Editor's Choice article.

MORE CONTENTS ▶

This article has been chosen by the Editor to be of special interest or importance and is freely available online.

This article has been made freely available online under the BMJ Journals Open Access scheme. See <http://jnis.bmj.com/site/about/guidelines.xhtml#open>

COPE COMMITTEE ON PUBLICATION ETHICS

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

<http://publicationethics.org/>

equator network


recycle
When you have finished with this please recycle it

Receive regular table of contents by email. Register using this QR code.



J NeuroIntervent Surg: first published as on 1 July 2014. Downloaded from <http://jnis.bmj.com/> on November 30, 2023 by guest. Protected by copyright.

Basic science

- 466** Wall shear stress association with rupture status in volume matched sidewall aneurysms
A Lauric, J Hippelheuser, A D Cohen, L M Kadasi, A M Malek
- 474** Modified murine intracranial aneurysm model: aneurysm formation and rupture by elastase and hypertension
 *K Hosaka, D P Downes, K W Nowicki, B L Hoh*
- 480** Reactive tissue proliferation and damage of elastic lamina caused by hydrogel coated coils in experimental rat aneurysms
C Zhang, N Chaudhary, J J Gemmete, B G Thompson, G Xi, A S Pandey

Miscellaneous

- 465** Correction

Electronic pages

- e35** Acute carotid stenting for treatment of stuttering transient ischemic attacks after recent carotid endarterectomy
V T Doss, A S Arthur, C Watridge, L Eljovich
- e36** Intraprocedural parenchymal blood volume as a marker of reperfusion status in acute ischemic stroke intervention
L Eljovich, V T Doss, H Theessen, M Khan, A S Arthur
- e37** Mechanical endovascular procedure for the treatment of acute ischemic stroke caused by total detachment of a papillary fibroelastoma
J Tejada, A Galiana, Ó Balboa, B Clavera, L Redondo-Robles, N Alonso, V Magadán