

**Cover image:** Time averaged wall shear stress distributions. From Lauric *et al.*, page 466.

**Editor**  
Robert W Tarr

**Associate Editors**

Felipe Albuquerque  
Michael Chen  
Dave Fiorella  
Rishi Gupta  
Joshua Hirsch  
Italo Linfante  
William Mack  
J Mocco  
Ansaar Rai

**Assistant Editor, Point-Counterpoint Section**

Kristine Blackham

**Assistant Editor, Book Review Section**

Albert Yoo

**Assistant Editor, Basic Science**

Matthew Gounis

**SNIS Executive Director**

Marie Williams

**Editorial Office**

Journal of NeuroInterventional Surgery BMJ Publishing Group Ltd  
BMA House  
Tavistock Square  
London, WC1H 9JR, UK

T: +44 (0)20 7383 6170

E: [info.jnis@bmjgroup.com](mailto:info.jnis@bmjgroup.com)

**Guidelines for authors and reviewers**

Full instructions are available online at <http://JNIS.bmj.com/fora>. Articles must be submitted electronically <http://mc.manuscriptcentral.com/jnis>. Authors retain copyright but are required to grant JNIS an exclusive licence to publish <http://JNIS.bmj.com/fora/licence.dtl>

ISSN: 1759-8478 (print)

ISSN: 1759-8486 (online)

**Disclaimer:** While every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinions, or statements appear in this Journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the responsibility of the contributor or advertiser concerned.

Accordingly, the publishers and the Society of NeuroInterventional Surgery, the editorial committee and their respective employees, officers and agents, accept no liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement. While every effort is made to ensure that drug doses and other quantities are presented accurately, readers are advised that new methods and techniques involving drug usage, described within this Journal, should only be followed in conjunction with the drug manufacturer's own published literature.

**Copyright:** © 2014 Society of NeuroInterventional Surgery. All rights reserved; no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without prior permission.

Journal of NeuroInterventional Surgery is published by BMJ Publishing Group Ltd, typeset by Techset, India and printed in the US.

Journal of NeuroInterventional Surgery (ISSN 1759-8478) is published ten times a year by BMJ Publishing Group and is distributed in the USA by Air Business Ltd. Periodicals postage paid at Jamaica NY 11431. POSTMASTER: send address changes to Journal of NeuroInterventional Surgery, Air Business Ltd, c/o Worldnet Shipping Inc., 156-15, 146th Avenue, 2nd Floor, Jamaica, NY 11434, USA.

**Contents**

Volume 6 Issue 6 | JNIS July/August 2014

**Editor's column**

409 The March  
*F C Albuquerque*

**Commentary**

411 The sustainable growth rate: a 2014 update  
*J A Hirsch, L Manchikanti*

**Ischemic stroke**

413 Outcomes in patients with acute ischemic stroke from proximal intracranial vessel occlusion and NIHSS score below 8  
*M Mokin, M W Masud, T M Dumont, G Ahmad, T Kass-Hout, K V Snyder, L N Hopkins, A H Siddiqui, E I Levy*

418 Age-adjusted infarct volume threshold for good outcome after endovascular treatment  
*M Ribo, A Flores, E Mansilla, M Rubiera, A Tomasello, P Coscojuela, J Pagola, D Rodriguez-Luna, M Muchada, J Alvarez-Sabin, C A Molina*

423 Hounsfield unit value and clot length in the acutely occluded vessel and time required to achieve thrombectomy, complications and outcome  
*A M Spionta, J Vargas, H Hawk, R Turner, M I Chaudry, H Battenhouse, A S Turk*

**Hemorrhagic stroke**

428 Management strategies for intraprocedural coil migration during endovascular treatment of intracranial aneurysms  
*D Ding, K C Liu*

432 Endovascular treatment of pediatric intracranial aneurysms: a retrospective study of 35 aneurysms  
*K Takemoto, S Tateshima, A Golshan, N Gonzalez, R Jahan, G Duckwiler, F Vinuela*

**New devices**

439 Novel application of a balloon-anchoring technique for the realignment of a prolapsed Pipeline Embolization Device: a technical report  
*R W Crowley, A A Ablal, A F Ducruet, C G McDougall, F C Albuquerque*

445 Safety and efficacy of percutaneous femoral artery access followed by Mynx closure in cerebral neurovascular procedures: a single center analysis  
*R Grandhi, H Kanaan, A Shah, G Harrison, C Bonfield, T Jovin, B Jankowitz, M Horowitz*

**Neuroimaging**

451 A prospective, multicenter pilot study investigating the utility of flat detector derived parenchymal blood volume maps to estimate cerebral blood volume in stroke patients  
*D Fiorella, A Turk, I Chaudry, R Turner, J Dunkin, C Roque, M Sarmiento, Y Deuerling-Zheng, C M Denice, M Baumeister, A T Parker, H H Woo*

457 Integrated flat detector CT and live fluoroscopic-guided external ventricular drain placement within the neuroangiography suite  
*D Fiorella, L Peeling, C M Denice, M Sarmiento, H H Woo*

461 Silent embolism after stent-assisted coiling of cerebral aneurysms: diffusion-weighted MRI study of 75 cases  
*M L Hahnemann, A Ringelstein, I E Sandalcioğlu, S Goerliche, C Moeninghoff, I Wanke, M Forsting, U Sure, M Schlamann*

Scan here to listen to a podcast with David Fiorella on this issue's Editor's Choice article.

**MORE CONTENTS ►**

**EDITOR'S CHOICE** This article has been chosen by the Editor to be of special interest or importance and is freely available online.

**OPEN ACCESS** This article has been made freely available online under the BMJ Journals Open Access scheme. See <http://jnis.bmj.com/site/about/guidelines.xhtml#open>

**COPE** COMMITTEE ON PUBLICATION ETHICS

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

<http://publicationethics.org/>

**equator network**


**recycle**  
When you have finished with this please recycle it

Receive regular table of contents by email. Register using this QR code.



J NeuroIntervent Surg: first published as on 1 July 2014. Downloaded from <http://jnis.bmj.com/> on November 30, 2022 by guest. Protected by copyright.

**Basic science**

- 466** Wall shear stress association with rupture status in volume matched sidewall aneurysms  
*A Lauric, J Hippelheuser, A D Cohen, L M Kadasi, A M Malek*
- 474** Modified murine intracranial aneurysm model: aneurysm formation and rupture by elastase and hypertension  
 *K Hosaka, D P Downes, K W Nowicki, B L Hoh*
- 480** Reactive tissue proliferation and damage of elastic lamina caused by hydrogel coated coils in experimental rat aneurysms  
*C Zhang, N Chaudhary, J J Gemmete, B G Thompson, G Xi, A S Pandey*

**Miscellaneous**

- 465** Correction

**Electronic pages**

- e35** Acute carotid stenting for treatment of stuttering transient ischemic attacks after recent carotid endarterectomy  
*V T Doss, A S Arthur, C Watridge, L Eljovich*
- e36** Intraprocedural parenchymal blood volume as a marker of reperfusion status in acute ischemic stroke intervention  
*L Eljovich, V T Doss, H Theessen, M Khan, A S Arthur*
- e37** Mechanical endovascular procedure for the treatment of acute ischemic stroke caused by total detachment of a papillary fibroelastoma  
*J Tejada, A Galiana, Ó Balboa, B Clavera, L Redondo-Robles, N Alonso, V Magadán*